REFERENCES

1. Annual Report 2007 -08, Ministry of Health and Family Welfare, GOI.
2. Annual Report to the people on Health, Sept 2010, Ministry of Health and
    a. Family Welfare, GOI.
3. Bosma H, Peter R, Siegrist J, Marmot M. Two alternative job stress models and the risk of coronary heart disease. Am J Public Health. 1998;88:68-74.
4. Bourbonnais R, Brisson C, Malenfant R, Vézina M. Health care restructuring, work environment, and health of nurses. Am J Ind Med. 2005;47:54-64.
5. Cause-specific mortality: regional estimates for 2008. Geneva,World Health Orgn 2011.
6. D.G. Satihal, K.E.T. Rajarama, Evaluation of Village Health Guide Scheme, Belgaum District, Karnataka, Report prepared for the Ministry of Health and Family Welfare, Government Of India, New Delhi, 2000.
7. Dr. U Gonnade, Dr. JM Farooqui.(2013)..Sucide in india-A four year retrospective study.Burns. Journal of Forensic and Legal Medicine 2013;14:185-189.
8. Downloaded from http://pmj.bmj.com/ on April 13, 2017 - Published by group.bmj.com
9. Evans T, Standsfield S. Health information in the new millennium: a gathering storm? Bulletin of the World Health Organization 2003;81(12):856.
10. Gragnolati M, Shekhar M, Gupta MD, Bredenkamp C, Lee YK. India's undernourished children: A call for reform and action. Washington DC: World Bank; 2005.
11. International Institute for Population sciences (IIPS) and Macro International
    a. 2007, National Family Health Survey (NFHS-3), India: Mumbai: IIPS.
12. Jain M, Prakash R, Jain R. Assessment of Morbidity Pattern among the Rural and Urban Geriatric Population: A Cross Sectional Study. Natl J Community Med 2017; 8(7):356-360.
13. Kivimäki M, Leino-Arjas P, Luukkonen R, Riihimäki H, Vahtera J, Kirjonen J. Work stress and risk of cardiovascular mortality: prospective cohort study of industrial employees. BMJ. 2002;325:857.
14. Koenen KC, Aiello AE, Bakshis E, Amstadter AB, Ruggiero KJ, Acierno R, et al. Modification of the association between serotonin transporter genotype and risk of

posttraumatic stress disorder in adults by county-level social environment. Am J Epidemiol. 2009;169:704-11.

15. 15 Karanth H and Thalanjeri P. Morbidity pattern in geriatric women of coastal karnataka. Int J Med Sci Public Health 2016;5:2146-2149.
16. Mukherjee A, Bhattacherjee S, Dasgupta S. Determinants of infant mortality in rural India: An ecological study. IndianJ Public Health 2019;63:27-32.
17. Mukherjee S, Mukherjee S, Sarkar RR. A six year retrospective study of maternal mortality at a tertiary teaching institute in Uttar Pradesh. Int J Med Sci Public Health 2014;3:1407-14.
18. Nazroo J, Davey Smith G. The contribution of socio-economic position to health differentials between ethnic groups: evidence from the United States and Britain. In: Health and Ethnicity. Macbeth H, Shetty P, editors. London: Taylor and Francis; 2001.
19. Peters, D., Yazbeck, A.S., Sharma R., Ramana, G.N.V., Pritchett, L,Wagstaff, A., Better Health Systems for India's Poor. Findings, Analysis and Options, 2002, Economic Research, World Bank, Washington DC.
20. Primatesta P, Brookes M. Cardiovascular disease: prevalence and risk factors. In: B Erens, P Primatesta and G Prior, editors. Health survey for England: the health of minority ethnic groups. London: The Stationery Office; 2001.
21. Quraishi SR, Gaydhanker AP, Dhumale GB. Levels and determinants of maternal morbidity in Sangli, Maharashtra, India-a community based study. Int J Community Med Public Health 2017;4:769-74.
22. Rohina Joshi, Magnolia Cardona, Srinivas Iyengar, A Sukumar, C Ravi Raju, K Rama.
23. Raju, Krishnam Raju, K Srinath Reddy, Alan Lopez and Bruce Neal. Chronic diseases now a leading cause of death in rural India—mortality data from the Andhra Pradesh Rural Health Initiative. J Epidemiol 2006;35:741–48.
24. Roberts CB, Couper DJ, Chang PP, James SA, Rosamond WD, Heiss G. Influence of life-course socioeconomic position on incident heart failure in blacks and whites: the Atherosclerosis Risk in Communities Study. Am J Epidemiol. 2010;172(6):717-27.
25. Rosengren A, Hawken S, Ounpuu S, Sliwa K, Zubaid M, Almahmeed WA, et al.INTERHEART investigators. Association of psychosocial risk factors with risk of

acute myocardial infarction in 11,119 cases and 13,648 controls from 52 countries (the INTERHEART study): case-control study. Lancet. 2004; 364:953-62.

26. Teotia S., SP, Teotia M. Nutritional bone disease in Indian population. Indian J Med Res., 2008 Mar; 127 (3): 219-28.
27. .
28. The UN Inter-agency Group for Child Mortality Estimation (IGME), Levels and Trends in Child Mortality: Report 2012. UNICEF, India, 2012.
29. Timio M, Verdecchia P, Venanzi S, Gentili S, Ronconi M, Francucci B, et al. Age and blood pressure changes. A 20 year follow up study in nuns in a secluded order. Hypertension. 1988;12:457-61.
30. 27. World Health Organisation,2015 Select Health Parameters: A comparative analysis across the National Sample Survey Organisation (NSSO) 42nd, 52nd and 60th rounds, 2007, Ministry of Health and family Welfare, Government of India, in collaboration with WHO, country office India.
31. World Health Organization 2014 MDG 1; Target 1.C: Halve, between 1990 and 2015, the proportion of people who suffer from hunger.
32. World Health Organization 2013 MDG 6; Target 6.C: Have halted by 2015 and begun to reverse the incidence of malaria and other major diseases.
33. Websites

    http://phm-india.org/

    http://www.phmovement.org/en/node/302

    http://wcd.nic.in/icds.htm

    http://indianmedicine.nic.in/

    http://www.mciindia.org/

    http://www.dciindia.org/

    http://www.indiannursingcouncil.org/

    http://www.pci.nic.in/

    http:// .mohfw.nic.in/